



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/586,116

07/14/2006

Carsten Herpel

PD040017

1704

24498

7590

06/10/2009

Thomson Licensing LLC

P.O. Box 5312

Two Independence Way

PRINCETON, NJ 08543-5312

EXAMINER

DANG, HUNG Q

ART UNIT

PAPER NUMBER

2621

MAIL DATE

DELIVERY MODE

06/10/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/586,116	Applicant(s) HERPEL ET AL.	
	Examiner Hung Q. Dang	Art Unit 2621	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 07/14/2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 July 2006 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 1-11 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Regarding claim 1, the phrases "for example essentially 24 Hz" and "e.g. 50Hz" render the claim indefinite because it is unclear whether the limitation(s) following the phrase are part of the claimed invention. See MPEP § 2173.05(d).

Claim 2 is rejected for the same reason as discussed in claim 1 above.

Claim 3 is rejected because it depends on claim 2 above. Further, claim 3 also recites, "e.g. an HDD recorder ...", which render the claim indefinite because it is unclear whether the limitation(s) following the phrase are part of the claimed invention. See MPEP § 2173.05(d).

Claims 4-10 are rejected because they depend either on claim 1 or claim 2 above.

Claim 11 is rejected for the same reason as discussed in claim 1 above.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

Art Unit: 2621

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-2 and 7-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kieu et al. (US Patent 6,181,382) and Kellner, Jr. et al. (US 2005/0084237).

Regarding claim 1, Kieu et al. disclose a method for controlling the insertion of additional fields or frames into a first format picture sequence having a frame frequency of for example essentially 24Hz in order to construct therefrom a second format picture sequence the frame frequency of which is constant and is greater than that of the first format picture sequence, e.g. 50Hz (column 2, lines 53-60), said method including the steps: determining locations of fields or frames in said first format picture sequence at which locations the insertion of a corresponding additional field or frame causes a minimum visible motion judder in said second format picture sequence (column 4, lines 14-27); inserting in said first format picture sequence a field or a frame at some of said locations at non-regular field or frame insertion distances such that in total the average distance between any adjacent frames corresponds to that of said second format picture sequence (column 4, lines 14-27, 42-47); presenting said first format picture sequence together with said non-regularly inserted fields and/or frames in the format of said second format picture sequence (column 7, lines 35-42, 52-56), wherein said field or frame insertion locations in said first format picture sequence are controlled such that to insert fields or frames in case slowly moving or static scenes are detected (column 3, lines 28-37).

However, Kieu et al. do not disclose in order to gain perceived lip- sync in said second format picture sequence the maximum picture content delay caused by the insertion irregularity is kept smaller than average in case a slowly moving or static scene and speech in the audio information assigned to said first format picture sequence are detected.

Kellner, Jr. et al. disclose a method for compensating delays in processing video data relative to the playback timing for the audio data, wherein said field or frame compensation locations in said first format picture sequence are controlled such that in order to gain perceived lip- sync in the compensated picture sequence the maximum picture content delay caused by the compensation irregularity is kept smaller than average in case the audio information assigned to an input picture sequence is detected ([0016]; [0056]).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the teachings of Kellner, Jr. et al. into the method disclosed by Kieu et al. in order to maintain synchronization between video and audio data thus enhancing the quality of the presentation.

Claim 2 is rejected for the same reason as discussed in claim 1 above.

Regarding claim 7, Kieu et al. also disclose wherein said field or frame insertion locations in said first format picture sequence are frames or fields that do not contain large moving picture content areas (column 3, lines 28-37), the motion being determined by evaluating motion vectors (column 3, lines 28-37).

Regarding claim 8, Kieu et al. also disclose wherein said field or frame insertion locations in said first format picture sequence are frames or fields at which scene changes or a fade-to-black or a fade-to-white or a fade to any colour occurs (column 3, lines 28-37).

Claims 3-4 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kieu et al. (US Patent 6,181,382) and Kellner, Jr. et al. (US 2005/0084237) as applied to claims 1-2 and 7-8 above, and further in view of Kato et al. (US Patent 6,240,245).

Regarding claim 3, see the teachings of Kieu et al. and Kellner, Jr. et al. as discussed in claim 2 above. However, Kieu et al. and Kellner, Jr. et al. do not disclose said apparatus being an optical disc player or an optical disc recorder, or a harddisk recorder, e.g. an HDD recorder or a PC, or a settop box, or a TV receiver.

Kato et al. disclose an apparatus with built-in converter being an optical disc player or an optical disc recorder, or a harddisk recorder, e.g. an HDD recorder or a PC, or a settop box, or a TV receiver (Fig. 1; column 5, lines 45-63).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the teachings of Kato et al. into the apparatus disclosed by Kieu et al. and Kellner, Jr. et al. to convert the TV signals into formats that are compatible with display device so that the signals can be displayed accordingly.

Regarding claim 4, see the teachings of Kieu et al. and Kellner, Jr. et al. as discussed in claim 2 above. However, Kieu et al. and Kellner, Jr. et al. do not disclose said apparatus being an optical disc player or an optical disc recorder or a harddisk

recorder or a settop box, wherein said apparatus outputs either the original first format picture sequence or said second format picture sequence, which choice is controlled by replay mode information received either automatically from an interface that is connected to a device including a display device, or is received from a user interface.

Kato et al. disclose an apparatus being an optical disc player or an optical disc recorder or a harddisk recorder or a settop box (Fig. 10; Fig. 11), wherein said apparatus outputs either the original first format picture sequence or a second format picture sequence, which choice is controlled by replay mode information received either automatically from an interface that is connected to a device including a display device, or is received from a user interface (column 5, lines 45-63; column 8, lines 13-29; column 15, lines 1-24; column 16, line 24).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the teachings of Kato et al. into the apparatus disclosed by Kieu et al. and Kellner, Jr. et al. in order to output signals of various format, thus enhancing the interface of the apparatus.

Regarding claim 6, Kato et al. also disclose wherein said first format picture sequence is stored or recorded on a storage medium, e.g. an optical disc or a harddisk, or is broadcast or transferred as a digital TV signal (Fig. 1; column 5, lines 45-63).

Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kieu et al. (US Patent 6,181,382) and Kellner, Jr. et al. (US 2005/0084237) as applied to claims 1-2 and 7-8 above, and further in view of Greenberger et al. (US Patent 5,708,719).

Regarding claim 5, see the teachings of Kieu et al. and Kellner, Jr. et al. as discussed in claim 1 above. However, Kieu et al. and Kellner, Jr. et al. do not disclose wherein speech in the audio information assigned to said first format picture sequence is detected by evaluating, in multi-channel audio, whether the centre channel relative to left and right channels shows a bursty energy distribution over time that is significantly different from the energy distribution in the left and right channels.

Greenberger et al. disclose speech in the audio information assigned to a picture sequence is detected by evaluating, in multi-channel audio, whether the centre channel relative to left and right channels shows a bursty energy distribution over time that is significantly different from the energy distribution in the left and right channels (column 5, lines 31-35).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the teachings of Greenberger et al. into the apparatus disclosed by Kieu et al. and Kellner, Jr. et al. to detect speech and process the data accordingly so that video signals can be synchronized with speech in the output signals.

Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kieu et al. (US Patent 6,181,382) and Kellner, Jr. et al. (US 2005/0084237) as applied to claims 1-2 and 7-8 above, and further in view of Tsukagoshi (US Patent 5,563,660).

Regarding claim 9, see the teachings of Kieu et al. and Kellner, Jr. et al. as discussed in claim 1 above. However, Kieu et al. and Kellner, Jr. et al. do not disclose wherein the inserted fields or frames are motion compensated before being output in said second format picture sequence.

Tsukagoshi discloses the inserted fields or frames are motion compensated before being output in said second format picture sequence (column 4, lines 22-25, 50-column 5, line 20; column 10, lines 23-33; column 10, line 60 - column 11, line 15; column 12, lines 27-37; column 16, lines 37-55).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the teachings of Tsukagoshi into the method disclosed by Kieu et al. and Kellner, Jr. et al. so that the inserted field or frame can be displayed on the display device.

Claims 10-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kieu et al. (US Patent 6,181,382) and Kellner, Jr. et al. (US 2005/0084237) as applied to claims 1-2 and 7-8 above, and further in view of Kato et al. (US Patent 5,771,357) and Settle et al. (US Patent 6,233,253).

Regarding claim 10, see the teachings of Kieu et al. and Kellner, Jr. et al. as discussed in claim 1 above. However, Kieu et al. and Kellner, Jr. et al. do not disclose said first format picture sequence is an MPEG-2 picture sequence and wherein said inserting of fields or frames in said first format picture sequence is controlled by evaluating flags either for indicating temporal order of fields or for indicating repetition of the first field for display, which flags are conveyed in said first format picture sequence in a user data field for each picture.

Kato et al. disclose a first format picture sequence is an MPEG-2 picture sequence and wherein inserting of fields or frames in said first format picture sequence is controlled by evaluating flags either for indicating temporal order of fields or for

Art Unit: 2621

indicating repetition of the first field for display, which flags are conveyed in said first format picture sequence for each picture (column 2, lines 20-63; column 7, lines 45-56).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate the teachings of Kato et al. into the method disclosed by Kieu et al. and Kellner, Jr. et al. in order to make the method compatible with input signals encoded according to MPEG-2 standard.

However, Kieu et al., Kellner, Jr. et al., and Kato et al. do not disclose the said flags are conveyed in a user data field.

Settle et al. disclose the field display flags are conveyed in a user data field (column 9, lines 15-17).

One of ordinary skill in the art at the time the invention was made would have been motivated to incorporate storing the flags in a user data field disclosed by Settle et al. into the method disclosed by Kieu et al. and Kellner, Jr. et al., and Kato et al. to implement various specific functions upon user's selection thus enhancing the interface of the apparatus (Settle et al., column 9, lines 17-32).

Claim 11 is rejected for the same reason as discussed in claims 1 and 10 above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung Q. Dang whose telephone number is (571)270-1116. The examiner can normally be reached on IFT.

Art Unit: 2621

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, THAI Q. TRAN can be reached on 571-272-7382. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Hung Q Dang/
Examiner, Art Unit 2621

/Thai Tran/
Supervisory Patent Examiner, Art Unit 2621